, () (

## What is claimed:

## 1. A compound of Formula I

5

10

$$H_3C$$
 $H_3C$ 
 $H_3C$ 

or a pharmaceutically acceptable salt thereof, wherein:

R<sub>1</sub> is selected from the group consisting of H and methyl; and

R<sub>2</sub> is selected from the group consisting of H and methyl.

2. The compound as recited in claim 1 wherein:

 $R_1$  is H; and

R<sub>2</sub> is selected from the group consisting of H and methyl.

3. The compound as recited in claim 1 wherein:

R<sub>1</sub> is H; and

R<sub>2</sub> is H.

4. The compound as recited in claim 1 wherein:

R<sub>1</sub> is H; and

 $R_2$  is methyl.

5. The compound as recited in claim 1 wherein:

R<sub>1</sub> is methyl; and

R<sub>2</sub> is selected from the group consisting of hydrogen and methyl.

- 6. The compound as recited in claim 1 wherein:
- $R_1$  is methyl; and

10

R<sub>2</sub> is hydrogen.

7. The compound as recited in claim 1 wherein:

R<sub>1</sub> is methyl; and

5  $R_2$  is methyl.

8. The compound as recited in claim 1 wherein:

 $R_1$  is selected from the group consisting of hydrogen and methyl; and  $R_2$  is hydrogen.

9. The compound as recited in claim 1 represented by Formula II

$$H_3C$$
 $H$ 
 $R_1$ 
 $NH$ 
 $R_2$ 
 $CO_2H$ 
 $R_2$ 
 $R_3$ 
 $R_4$ 
 $R_2$ 

or a pharmaceutically acceptable salt thereof, wherein:

R<sub>1</sub> is selected from the group consisting of H and methyl; and

R<sub>2</sub> is selected from the group consisting of H and methyl.

10. The compound as recited in claim 9 wherein:

R<sub>1</sub> is H; and

- 20  $R_2$  is selected from the group consisting of H and methyl.
  - 11. The compound as recited in claim 9 wherein:

R<sub>1</sub> is H; and

R<sub>2</sub> is H.

25

12. The compound as recited in claim 9 wherein:

 $R_1$  is H; and

R<sub>2</sub> is methyl.

30 13. The compound as recited in claim 9 wherein:

R<sub>1</sub> is methyl; and

R<sub>2</sub> is selected from the group consisting of H and methyl.

- 14. The compound as recited in claim 9 wherein:
- 5  $R_1$  is methyl; and

R<sub>2</sub> is H.

15. The compound as recited in claim 9 wherein:

 $R_1$  is methyl; and

- 10  $R_2$  is methyl.
  - 16. The compound as recited in claim 9 wherein:

R<sub>1</sub> is selected from the group consisting of H and methyl; and

R<sub>2</sub> is H.

17. The compound as recited in claim 1 represented by Formula III

$$H_3C$$
 $H_3C$ 
 $H_3C$ 

20

25

or a pharmaceutically acceptable salt thereof, wherein:

R<sub>1</sub> is selected from the group consisting of H and methyl; and

R<sub>2</sub> is selected from the group consisting of H and methyl.

18. The compound as recited in claim 17 wherein:

R<sub>1</sub> is H; and

R<sub>2</sub> is selected from the group consisting of H and methyl.

19. The compound as recited in claim 17 wherein:

20. The compound as recited in claim 17 wherein:

21. The compound as recited in claim 17 wherein:

R<sub>2</sub> is selected from the group consisting of hydrogen and methyl.

22. The compound as recited in claim 17 wherein:

23. The compound as recited in claim 17 wherein:

24. The compound as recited in claim 17 wherein:

R<sub>1</sub> is selected from the group consisting of hydrogen and methyl; and

R<sub>2</sub> is hydrogen.

25

- 25. A compound as recited in claim 1 wherein the compound is the S enantiomer.
- 26. A compound as recited in claim 1 wherein the compound is the R enantiomer.
- 30 27. A compound as recited in claim 1 wherein the compound is the E isomer.
  - 28. A compound as recited in claim 1 wherein the compound is the Z isomer.